LACCD - SAP Privileged Access Testing

# Uses Non	no Comulato Nama	Heav Time	A	Title / Llean For	CUO	CHOS	CHOS	CHOF	L 51140	CUA	DECC	CTNAC	CF04	C503	CE00	CE40	CN420	CN424
# User Nar	Josephine Aranez	User Type A Dialog	Account Valid?	This is part of the payroll processing and this access is required and monitored during the quarterly review and via	SU01	SU02	SU03	SU05	SU10	SU12	PFCG	STMS	SE01	SE03	SE09	SE10	SM30	SM31 ×
2	Batch Load Account	A Dialog	x	SW. This account in only acquired with manager approval and	х	х	х	х	х	х	х	х	х	х	х	х	х	х
	DDIC	A Dialog	V	oversight. It is provisioned with Secruity Weaver. SAP created account during installation and used for batch	V	V	V	X	V	V	V	V	V	V	V	V	V	V
3	DDIC	A Dialog System	Y	job installation. Portal administration accounts and used for initial set up of	X	X	X	x	X	X	X	X	X	X	X	X	X	x
				JCO connect and NWDI track and role upload. Set to communication user type.														
5	Joan Grimes	A Dialog	Y	This is part of the payroll processing and this access is required and monitored during the quarterly review and via SW.														Х
7	Guy Beaudoin	A Dialog	Υ	With the recent retiremenet the account had been deactivated.							х						х	
8	Anis Kochlef	A Dialog	٧	This security administration and access is required to	x				×		×						Y	
	7 mis Noemer	// Didiog	·	maintain the system. SW is used to provision access with mgmt. oversight . Anis Kochef is one of two SAP Security	^				^								^	
				Administrators. Access is required to perform duties.														
9	Norm Rille	A Dialog	Х	Access granted as part of consultant request and recommendation and authorized by Sr. District management. This account has since been delimited.										Х		Х		
11	Teresa Luevano	A Dialog	Y	This is part of the payroll processing and this access is required and monitored during the quarterly review and via														х
15		B System	Y	SW. Background processing system user. No password is aligned														х
				to a person. System user type for internal system processes (-> background processing) or system-related processes (-> ALE, workflow, TMS, CUA). Dialog logon is not possible.														
16		B System	Y	Background processing system user. No password is aligned														х
				to a person. System user type for internal system processes (-> background processing) or system-related processes (->														
17		B System	Y	ALE, workflow, TMS, CUA). Dialog logon is not possible. Background processing system user. No password is aligned	Х	X	X	x	x	X	х	X	х	x	х	X	х	×
		,		to a person. System user type for internal system processes (-> background processing) or system-related processes (->														
19		B System	Y	ALE, workflow, TMS, CUA). Dialog logon is not possible. Background processing system user. No password is aligned	х	x	X	×	х	х	х	х	х	х	х	х	х	×
		·		to a person. System user type for internal system processes (-> background processing) or system-related processes (->														
				ALE, workflow, TMS, CUA). Dialog logon is not possible. Installation of portal server. Example, used to establish connection from Portal to ECC.														
20	Operations Group	B System	Y	Background processing system user. No password is aligned	Х	х	х	х	х	х	х	х	х	х	х	х	х	х
				to a person. System user type for internal system processes (-> background processing) or system-related processes (->														
				ALE, workflow, TMS, CUA). Dialog logon is not possible. Example, ECC maintenance batch jobs.														
21	Operations Group	B System	Y	Background processing system user. No password is aligned to a person. System user type for internal system processes (-		х	х	х	х	х	х	х	х	х	х	х	х	х
				> background processing) or system-related processes (-> ALE, workflow, TMS, CUA). Dialog logon is not possible. For														
22		B System	Y	example, Background processing system user. No password is aligned							х							
				to a person. System user type for internal system processes (-> background processing) or system-related processes (-> ALE, workflow, TMS, CUA). Dialog logon is not possible. For														
				example, portal uses this to connect to ECC.														
23	HR : Workflow Agent	B System	Υ	Background processing system user. No password is aligned to a person. System user type for internal system processes (-> background processing) or system-related processes (->	х	х	х	х	х	х	х	х	х	х	х	х	х	Х
				ALE, workflow, TMS, CUA). Dialog logon is not possible. For example, this SAP standard Workflow user for messaging.														
24		C Communication	Y	Background (RFC) processing system user. No password is														x
				aligned to a person. System user type for internal system processes (-> background processing) or system-related processes (-> ALE, workflow, TMS, CUA). Dialog logon is not														
				possible. For example, this is used for synchronization of HR data to Infotyes 9002 and IT7 and IT8 for efficent processing.														
25		C Communication	Υ	Background (RFC) processing system user. No password is	Х	х	х	х	х	х	х	х	х	х	х	х	х	х
				aligned to a person. System user type for internal system processes (-> background processing) or system-related processes (-> ALE, workflow, TMS, CUA). Dialog logon is not														
				possible. For example, SAP standard installation account.														
27		C Communication	Υ	Background (RFC) processing system user. No password is aligned to a person. System user type for internal system														х
				processes (-> background processing) or system-related processes (-> ALE, workflow, TMS, CUA). Dialog logon is not														
28	Solution manager	C Communication	V	possible. For example, this for communication between LACCD Portal and SAP ECC.	Y													Y
28	Solution manager	C Communication	Х	Background (RFC) processing system user. No password is aligned to a person. System user type for internal system processes (-> background processing) or system-related	×	×	×	Х	Х	X	×	X	X	Х	×	X	Х	×
				processes (-> ALE, workflow, TMS, CUA). Dialog logon is not possible. For example, SAP installation created account.														
29	Andrew Duran	S Service	Х	Communication between GRC Fire Fighter and ECC . Access is granted via GRC approval process. GRC is not in service							х							х
30	GRC ADMIN GRCADMI	N S Service	V	and this is not used at this time. Delimited at this time. Communication between GRC and ECC . GRC is not in	v	v	•	v	×	v	v	· ·	V	x	v	v		x
31	Veera Kondapi	S Service	X	service and this is not used at this time. Communication between GRC and ECC . GRC is not in service and this is not used at this time.	x	X	х	, x	×	*	*	x	x	x	x	x	x	x
	·			via GRC approval process. GRC is not in service and this is not used at this time. Delimited at this time.														
32	OSS user	S Service	Y	Communication with SAP the vendor for OSS support.	Х	х	Х	х	х	х	×	х	х	х	х	х	Х	Х
33	Venkat Pandian	S Service	Х	Communication between GRC and ECC. Access is granted via GRC approval process. GRC is not in service and this is									Х	х	х	х	Х	х
34		S Service	Y	Account used for Remote Function Calls . For example PCR and SSO between Portal and ECC and BOBj.	Х	х	Х	х	Х	х	X	х	Х	X	X	Х	Х	Х
35	Aruna Yedamakanti	S Service	Х	Communication between GRC and ECC. Access is granted via GRC approval process. GRC is not in service and this is not used at this time.							х		×	х	х	х	Х	х
36	Richard Rowland	A Dialog	8.1	Peoplesoft. Part of the Peoplesoft team. Account has been							X							
			N	deactivated.														

Password is required to support SAP. This is standard user ID required to maintain SAP. Only basis know the password. Fire call process to migrate access.